# TAR OFF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 05/11/2016

Date of Issue: 05/11/2016

Version: 1.0

#### SECTION 1: IDENTIFICATION

## 1.1. Product Identifier

Product Form: Mixture

#### 1.2. Intended Use of the Product

Use of the Substance/Mixture: No use is specified

1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Bradley Inc. Chemicals 2523 Gallatin Ave Nashville, TN 37206 Phone: (615) 227-7561

1.4. Emergency Telephone Number

**Emergency Number** 

: (615) 227-7561

# SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the Substance or Mixture

#### **GHS-US Classification**

Flam. Liq. 3 H226
Skin Irrit. 2 H315
Skin Sens. 1 H317
Asp. Tox. 1 H304
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label Elements

#### **GHS-US Labeling**

Hazard Pictograms (GHS-US)









Signal Word (GHS-US)

Hazard Statements (GHS-US)

: Danger

: H226 - Flammable liquid and vapor.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

#### Precautionary Statements (GHS-US)

: P210 - Keep away from extremely high or low temperatures, ignition sources, and incompatible materials. - No smoking.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P303+P361+P353 - If on skin (or hair): Take off in mediately all contaminated

clothing. Rinse skin with water/shower.

P321 - Specific treatment (see section 4 on this SDS).

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

05/11/2016

EN (English US)

1/6

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use dry chemical powder, alcohol-resistant foam,

carbon dioxide to extinguish.

P391 - Collect spillage.

P405 - Store locked up. P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

P403+P233+P235 - Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

#### Other Hazards 2.3.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### Unknown Acute Toxicity (GHS-US) 2.4.

No data available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

#### B #1- ----

3.2. Wixture	Product Identifier	%	GHS-US classification
Name D-Limonene	(CAS No) 5989-27-5	50	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Alkanes, C10-13-iso-	(CAS No) 68551-17-7	45 - 50	Flam. Liq. 3, H226 Asp. Tox. 1, H304

Full text of H-phrases: see section 16

#### SECTION 4: FIRST AID MEASURES

Description of First-aid Measures 4.1.

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

#### Most Important Symptoms and Effects Both Acute and Delayed 4.2.

Symptoms/Injuries: Causes skin irritation. Skin sensitization. May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury. Chronic Symptoms: May cause an allergic skin reaction.

# Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: FIRE-FIGHTING MEASURES

#### Extinguishing Media 5.1.

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

2/6 EN (English US) 05/11/2016

## 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.

Explosion Hazard: May form flammable or explosive vapor-air mixture.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

### 5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities:

Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: (arbon oxides (CO, CO<sub>2</sub>).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Personnel

Protective Equipment: Equip clean p crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

# 6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, solate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Use only non-sparking tools. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

# 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place. Incompatible Products: Strong acids. Strong oxidizers.

#### 7.3. Specific End Use(s)

No use is specified.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

D-Limonene (5989-27-5)		
USA AIHA WEEL TWA (ppm)	30 ppm	

# 8.2. Exposure Controls Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/ocal regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosionproof equipment.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









**Materials for Protective Clothing** 

Hand Protection
Eye Protection
Skin and Body Protection
Respiratory Protection

: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

: When using, do not eat, drink or smoke.

# SECTION 9: PHYSICAL AND CHE MICAL PROPERTIES

The control of the co	CONTRACTOR OF THE PERSON NAMED IN COLUMN	STATE OF THE PARTY	- In property the same		Marie and the second se
9.1.	Information	on Basic Ph	vsical	and Chemical	Propertie

Physical State Appearance

Odor

Odor Threshold

pH

Evaporation Rate Melting Point

Freezing Point Boiling Point

Flash Point

Auto-ignition Temperature
Decomposition Temperature
Flammability (solid, gas)

Vapor Pressure

Relative Vapor Density at 20°C

Relative Density

Solubility

Partition Coefficient: N-Octanol/Water

Viscosity

05/11/2016

: Liquid

: No data available

No data available
No data available

: No data available

No data availableNo data available

: No data available

: No data available

: No data available

9.2. Other Information No additional information available

# SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

10.2. Chemical Stability: Flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials: strong acids. Strong oxidizers.

10.6. Hazardous Decomposition Products: None known.

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

EN (English US)

afety Data Shoot	
afety Data Sheet ccording to Federal Register / Vol. 77, No. 58 / Mor	day, March 26, 2012 / Rules and Regulations
D-Limonene (5989-27-5)	
LD50 Oral Rat	4400 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
Skin Corrosion/Irritation: Causes sl	
Serious Eye Damage/Irritation: No	t classified
Respiratory or Skin Sensitization:	May cause an allergic skin reaction.
Germ Cell Mutagenicity: Not classi	fied
Carcinogenicity: Not classified	
D-Limonene (5989-27-5)	
IARC group	3
National Toxicology Program (NTP	Status Evidence of Carcinogenicity.
Reproductive Toxicity: Not classifie	
Specific Target Organ Toxicity (Sin	Exposure): Not classified
Specific Target Organ Toxicity (Rep	peated Exposure): Not classified
Aspiration Hazard: May be fatal if	swallowed and enters airways.
a Ilainias After Inhalatio	Prolonged exposure may cause iffication.
Symptoms/Injuries After Skin Con	tact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic
skin reaction.	
Culturies After Fue Cont	tact: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	n: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.
Chronic Symptoms: May cause an	allergic skin reaction.
SECTION 12: ECOLOGICAL INI	CRMATION
12.1. Toxicity	
Ecology - General	: Very toxic to aquatic life with long lasting effects.
D-Limonene (5989-27-5)	
LC50 Fish 1	0.619 (0.619 - 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas
2030 7 1311 2	[flow-through])
EC50 Daphnia 1	0.421 mg/l
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
12.2. Persistence and Degra	
Citrus Sol	
Persistence and Degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative Pote	
Citrus Sol	
Bioaccumulative Potential	Not established.
	Iditional information available
12.5. Other Adverse Effect	
Other Information	: Avoid release to the environment.
SECTION 13: DISPOSAL CONS	
13.1. Waste Treatment Me	ns: Dispose of contents/container in accordance with local, regional, national, and international
PER TO SERVICE AND ACTUAL CONTRACTOR OF THE SERV	Dispose of contents/contents
regulations.	empty containers with care because residual vapors are flammable.
Additional Information: Handle	d release to the environment. This material is hazardous to the aquatic environment. Keep out
	Telease to the chivioliment This meeting
of sewers and waterways.	ECRMATION
SECTION 14: TRANSPORT IN	
14.1. In Accordance with E	: FLAMMABLE LIQUIDS, N.O.S. (Contains D-Limonene, Alkanes, C10-13-iso-)
Proper Shipping Name	: ILAIVINIABLE LIQUIDS, N.O.S. (Contains b-cimonetic, Alkanes, 626 25 156 )
Hazard Class	. 11112003
Identification Number	: WN1993
Label Codes	
Packing Group	No single and liverage
Marine Pollutant	: Marine pollutant
ERG Number	: 128
05/11/2016	EN (English US)
	116

oper Shipping Name : FLAMMABLE	
	LIQUID, N.O.S.
zard Class : 3	
entification Number : UN1993	<=>
cking Group : III	
bel Codes : 3	
ns-No. (Fire) : F-E	
nS-No. (Spillage) : ٩-F	
arine Pollutant : Marine pollut	tant
.3. In Accordance with IATA	Allegan C10 12 ico.
	LIQUID, N.O.S. (Contains D-Limonene, Alkanes, C10-13-iso-)
cking Group : III	
entification Number : UN1993	
zard Class : 3	3
bel Codes : 3	
G Code (IATA) : 3	
CTION 15: REGULATORY INFORMATIO	IN
5.1. US Federal Regulations	
trus Sol	Fire hazard
RA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Intitlediate (acute) fleater flezeru
Limonene (5989-27-5)	
sted on the United States TSCA (Toxic Substanc	ces Control Act) inventory
kanes, C10-13-iso- (68551-17-7)	
sted on the United States TSCA (Toxic Substanc	ces Control Act) inventory
5.2. US State Regulations Neither this p	roduct nor its chemical components appear on any US state lists.
	LUDING DATE OF PREPARATION OR LAST REVISION
evision Date : 05/11/2016	the state of the OSHA Horord
	ndard 29 CFR 1910.1200
Communication star	
HS Full Text Phrases:	
	Hazardous to the aquatic environment - Acute Hazard Category 1
HS Full Text Phrases:	
HS Full Text Phrases:  Aquatic Acute 1  Aquatic Chronic 1	Hazardous to the aquatic environment - Acute Hazard Category 1
HS Full Text Phrases: Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1
HS Full Text Phrases:  Aquatic Acute 1  Aquatic Chronic 1  Asp. Tox. 1	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2 Skin Sens. 1	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 18	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Skin sensitization Category 18
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 18 H226	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Skin sensitization Category 1B Flammable liquid and vapor
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 18 H226 H304	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Skin sensitization Category 1B Flammable liquid and vapor May be fatal if swallowed and enters airways
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 18 H226 H304 H315	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Skin sensitization Category 1B Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 18 H226 H304 H315 H317	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Skin sensitization Category 1B Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction
Aquatic Acute 1 Aquatic Chronic 1 Asp. Tox. 1 Flam. Lig. 3 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 18 H226 H304 H315	Hazardous to the aquatic environment - Acute Hazard Category 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aspiration hazard Category 1 Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Skin sensitization Category 1B Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation

05/11/2016 EN (English US) 6/6