According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 05/09/2016

Date of ssue: 05/09/2016

version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier 1.1. Product Form: Mixture Product Name: Slyde

Intended Use of the Product

Use of the Substance/Mixture: No use is specified

Name, Address, and Telephone of the Responsible Party 1.3.

Company

Bradley inc. Chemicals 547 E Old Hickory Blvd. Madison, TN 37115

Phone: (615) 227-7561

Emergency Telephone Number

Emergency Number

: (615) 227-7561

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture 2.1.

GHS-US Classification

Skin Irrit. 2

H315 H319

Eve Irrit. 2A Carc. 2

H351

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





: Warning

Signal Word (GHS-US)

Hazard Statements (GHS-US)

: H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H351 - Suspected of causing cancer.

Precautionary Statements (GHS-US)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards 2.3.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) 2.4.

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance 3.1.

Not applicable

EN (English US)

1/6

05/09/2016

According to Foderal Register / Vol. 77. No. SS / Monday March 26, 2012 / Rules and Regulations

3.2. Mixture	Product Identifier	%	GHS-US classification
Name Proprietary Chemical 1	(CAS No) Proprietary	1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Proprietary Chemical 2	(CAS No) Proprietary	0.925	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

First-aid Measures Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

Obtain medical attention if irritation develops or persists. First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes serious eye irritation. Causes skin irritation. Suspected of causing cancer.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of causing cancer.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media 5.1.

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Po not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO2). Nitrogen oxides.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures 6.1.

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

For Non-Emergency Personnel 6.1.1.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel 5.1.2.

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area. 2/6 EN (English US) 05/09/2016

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up 6.3.

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections 6.4.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling 7.1.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities 7.2.

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Products: Strong acids, strong bases, strong oxidizers.

Specific End Use(s) No additional information available 7.3.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters 8.1.

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Proprietary C	Chemical 1	
USA ACGIH	ACGIH Ceiling (mg/m²)	2 mg/m³
	NIOSH REL (ceiling) (mg/m³)	2 mg/m ³
USA IDLH	US IDLH (mg/m³)	10 mg/m³
	OSHA PEL (TWA) (mg/m³)	2 mg/m³

Exposure Controls 8.2.

Appropriate Engineering Controls

Personal Protective Equipment

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing

Hand Protection Eve Protection

Skin and Body Protection Respiratory Protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.

: Chemical safety goggles.

: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State

Appearance

Odor Odor Threshold

: No data available

: No data available

: No data available

: No data available

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Federal Register / Vol. 77, No. 307	: No data available
Evaporation Rate	: No data available
Melting Point	
Freezing Point	: No data available
	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
Viscosity	table

Other Information No additional information available 9.2.

SECTION 10: STABILITY AND REACTIVITY

- Reactivity: Hazardous reactions will not occur under normal conditions. 10.1.
- Chemical Stability: Stable under recommended handling and storage conditions (see section 7). 10.2.
- Possibility of Hazardous Reactions: Hazardous polymerization will not occur. 10.3.
- Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. 10.4.
- Incompatible Materials: Strong acids, strong bases, strong oxidizers. 10.5.
- Hazardous Decomposition Products: None known. 10.5.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects 11.1.

Acute Toxicity: Not classified

Acute Toxicity: Not classified	
Proprietary Chemical 2	
LD50 Oral Rat	1740 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 5 mg/l/4h

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Suspected of causing cancer.

Carcinogenicity: Suspected of causing cancer.	
Proprietary Chemical 2	
100C movin	2B
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of causing cancer.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - General	: Not classified.
Proprietary Chemical 2	n hales aromalas (flow-through)
LC50 Fish 1	93 - 170 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
	560 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Daphnia 1	175 - 225 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
NOEC Chronic Crustacea	9.3 mg/I
LC50 Fish 2 NOEC Chronic Crustacea	175 - 225 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 9.3 mg/l

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary Chemical 1 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) LC50 Fish 1 40 mg/1 EC50 Daphnia 1

Persistence and Degradability 12.2.

Blast Persistence and Degradability

Not established.

Bioaccumulative Potential 12.3.

Blast

Not established. **Bioaccumulative Potential**

Mobility in Soil No additional information available 12.4.

Other Adverse Effects 12.5.

Other Information

: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

- Not regulated for transport In Accordance with DOT 14.1.
- In Accordance with IMDG Not regulated for transport 14.2.
- Not regulated for transport In Accordance with IATA 14.3.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations 15.1.

Blast Immediate (acute) health hazard SARA Section 311/312 Hazard Classes

Proprietary Chemical 2 Listed on the United States TSCA (Toxic Substances Control Act) inventory

Proprietary Chemical 1 Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations 15.2.

Proprietary Chemical 2

U.S. - Massachusetts - Right To Know List

Proprietary Chemical 1

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date

: 05/09/2016

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard

Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

ill Text Phrases:	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Carc. 2	Carcinogenicity Category 2
	Serious eye damage/eye irritation Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2A	Corrosive to metals Category 1
Met. Corr. 1	Skin corrosion/irritation Category 1A
Skin Corr. 1A	Skin corrosion/irritation Category 2
Skin Irrit. 2	Skin corrosion/irritation category 2

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H402	Harmful to aquatic life

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

05/09/2016

EN (English US)

6/6